




TuBAR[®] Popout Locks



KeSet[®] Cam Locks



System 64[®] Popout Locks



KeSet[®] Popout Locks



TuBAR[®] Cam Locks

Vending
Security Products

List Prices
Effective February 6, 2006

Description : KeSet® Locks

Standard Cam Lock – 1-1/64 cylinder length – N4-2000

- ➔ For use on most vending, music, game and other machines
- ➔ Collar required if head of lock is exposed
- ➔ Includes cylinder and cam mounting nuts
- ➔ Use N4-0805 Service Key, N4-0806 Set Key



Cam Lock, 3/16 longer than Standard

Standard Pop-out Locks
(Spring & Dead bolt versions)



- ➔ For use on T-handles and Lift Handles meeting NAMA standards
- ➔ Use N4-0805 Service Key, N4-0806 Set Key

Special Cam Version Lock

- ➔ For use on machines with recessed pockets (certain Vendo models) & Bally slot machines
- ➔ No collar required
- ➔ Includes cylinder and cam mounting nuts
- ➔ Use N4-0805 Service Key, N4-0806 Set Key



Description : KeSet® Plug Locks & Assemblies

Special Plug Lock Assembly



- ➔ For use on certain Rowe products (All Purpose Merchandisers, L1020 & L1030 Cold Drink & AK8 Coffee)
- ➔ Includes Lock, Housing, Screws (3 required)
- ➔ Use N4-0805 Service Key, N4-0806 Set Key

Special Plug Lock Assembly

- ➔ For use on bill changers by Standard Change Makers
- ➔ Includes Lock, Housing, Housing Mounting Nut
- ➔ Use N4-0805 Service Key, N4-0806 Set Key



Suggested List Prices

Part number

1-99 100-499 500-999 1000+

N4-2000*-A-K90-O-P 32.04 29.11 27.46 26.13

* Insert 3-digit code for CAM MOVEMENT

CODE	Movement
010	90° CW
015	165° CW
020	90° CCW
030	165° CCW

N4-2014*-C-K90-O-P 32.53 29.55 27.90 26.58

N4-2010-002-O-K90-O-P 31.58 28.72 27.07 24.92
spring bolt

N4-2020-010-O-K90-O-P 31.58 28.72 27.07 24.92
dead bolt

N4-2003*-A-K90-O-P

* Insert 3-digit code for CAM MOVEMENT

CODE	Movement
010	90° CW
015	165° CW
020	90° CCW
030	165° CCW

32.19 29.44 27.78 26.73




Suggested List Prices

All quantities

Part number

N4-2006-010-N-K90-O-P 32.97


N4-2006-010-N-K90-O-P 32.97

Description : Collars		Part number	Suggested List Prices All quantities
	Collar - Type X → Hardened steel, tapered → Used with N4-2000 KeSet® Cam Lock → Provides 9/16" C dimension	N5-1000-134-1-K90-0-J	3.00
	Collar - Type A → Hardened steel, tapered → Used with N4-2000 KeSet® Cam Lock → Provides 11/16" C dimension	N5-1000-135-1-K90-0-J	3.00
	Collar - Type B → Hardened steel, tapered → Used with N4-2000 KeSet® Cam Lock → Provides 15/16" C dimension	N5-1000-136-1-K90-0-J	3.00
	Collar - Type E → Hardened steel, straight → Used with N4-2000 KeSet® Cam Lock → Provides 15/16" C dimension	N5-1000-143-1-K90-0-J	3.00


NOTE: For C dimension measurement, see page five.

Description : Cam Adapter Washers		Part number	Suggested List Prices All quantities
Adapter Washer → Converts cams made for CompX Chicago Lock #s: C1701, C1801, C3186, C3205, C3705 & C3786 to operate with KeSet® Cam Lock (N4-2000)		N5-1000-145-1-W01-0-P	.30

Outside dim. .5" dia. x .385" across flats

 Outside dim. 3/8" square	Adapter Washer → Converts double-bitted Illinois Duo locks cams to operate with KeSet® Cam Lock (N4-2000)	N5-1000-146-2-B26-0-P	.58
---	---	------------------------------	-----

Adapter Washers → Set of 3 washers converts Vendo machines with round cam for CompX Chicago lock 3452 to operate with KeSet® Cam Lock (N4-2000)		N5-1000-003-1-W01-0-P (Set of 3)	1.14
	Outside dim. .375" dia. x .3125" across flats	N5-1000-148-1-W01-0-P (One washer only)	.40

Description : Mounting Nuts	Part number	Suggested List Prices All quantities
 <p>Cylinder Nut Steel → For mounting KeSet® Cam Locks (N4-2000 & N4-2003)</p>	M5-0025-2001-W010J	.32


<p>Cam Keys Nut (1/4 - 28) → For use on KeSet® Cam Locks (N4-2000 & N4-2003)</p> 	D9-6511-603-1-121-0-6	.28
---	------------------------------	-----

Description : KeSet® Keys	Part number	Suggested List Prices All quantities
 <p>Standard Service Key - Silver → STEEL → Used with all versions of KeSet® locks Steel Service Key</p>	N4-0805-001-1-N010J	8.66

<p>Standard Set Key - Gold → STEEL → Used with all versions of KeSet® locks Steel Set Key</p> 	N4-0806-001-1-B20-0J	9.54
--	-----------------------------	------

 <p>Special Service Key - Silver → Hardened steel, narrow shank</p>	N4-0807-001-1-N010J	11.03
--	----------------------------	-------


<p>Special Set Key - Gold → Hardened steel, narrow shank</p> 	N4-0808-001-1-B20-0J	11.25
---	-----------------------------	-------

Description / Part Number : Straight Cams	D dimension	Suggested List Prices All quantities
 <p>Straight Cam Flats on hole vertical</p>	M9-7040-102-1-W01-0-J	.60
	M9-7040-107-1-W01-0-J	
	M9-7040-104-1-W01-0-J	
	M9-7040-109-1-W01-0-J	

Suggested List Prices
All quantities

Description / Part Number : Straight Cams


- M9-7040-103-1-W01-0-J
- M9-7040-111-1-W01-0-J
- M9-7040-100-1-W01-0-J
- M9-7040-106-1-W01-0-J
- M9-7040-117-1-W01-0-J
- M9-7040-101-1-W01-0-J
- M9-7040-105-1-W01-0-J
- M9-7040-110-1-W01-0-J
- M9-7040-108-1-W01-0-J
- M9-7040-130-1-W01-0-J



D dimension

- 1"
- 1 - 1/16"
- 1 - 1/8"
- 1 - 1/4"
- 1 - 3/8"
- 1 - 1/2"
- 1 - 5/8"
- 1 - 3/4"
- 1 - 13/16"
- 1 - 7/8"

.64



Straight Cam
Flats on hole vertical


- M9-7040-112-1-W01-0-J
- M9-7040-116-1-W01-0-J
- M9-7040-114-1-W01-0-J
- M9-7040-115-1-W01-0-J

- 2"
- 2 - 1/8"
- 2 - 1/4"
- 2 - 1/2"

.66


- M9-7041-104-1-W01-0-J
- M9-7041-111-1-W01-0-J
- M9-7041-103-1-W01-0-J
- M9-7041-114-1-W01-0-J

Straight Cam
Flats on hole horizontal



- 5/8"
- 11/16"
- 3/4"
- 13/16"

.60



Straight Cam
Flats on hole horizontal


- M9-7041-106-1-W01-0-J
- M9-7041-112-1-W01-0-J
- M9-7041-102-1-W01-0-J
- M9-7041-107-1-W01-0-J
- M9-7041-101-1-W01-0-J
- M9-7041-108-1-W01-0-J
- M9-7041-110-1-W01-0-J

- 1"
- 1 - 1/8"
- 1 - 1/4"
- 1 - 3/8"
- 1 - 1/2"
- 1 - 5/8"
- 1 - 3/4"

.64

- M9-7041-105-1-W01-0-J
- M9-7041-109-1-W01-0-J
- M9-7041-100-1-W01-0-J
- M9-7041-113-1-W01-0-J

Straight Cam
Flats on hole horizontal



- 2"
- 2 - 1/8"
- 2 - 1/4"
- 2 - 1/2"

.66




Straight Hooked Cam
 → M9-7046 series
 → Flats on hole vertical

Please call
for dimensions.

.70

Description / Part Number : Straight Cams

Straight Hooked Cam
→ M9-7047 series
→ Flats on hole horizontal



D dimension

Please call for dimensions.

Suggested List Prices
All quantities

.70

Description / Part Number : Double Formed Cams



Double Formed Cam
→ M9-7042 series
→ Flats on hole vertical


D dimension

Please call for dimensions.

Suggested List Prices
All quantities

.80

Applies to part numbers
M9-7042-102-1-W01-0-J
thru
M9-7043-337-1-W01-0-J



Please call for dimensions and prices.



Double Formed Cam
→ M9-7043 series
→ Flats on hole horizontal

Please call for dimensions.

.70

Description : System 64®

System 64® Standard Pop-out Locks
(Spring & Dead bolt versions)

→ For use on T-handles and Lift Handles meeting NAMA standards



Part number

R265550010K90TJ
spring bolt popout

R265550080K90TJ
dead bolt popout

Suggested List Prices

1-99 100-499 500-999 1000+

31.58 28.72 27.07 24.92

31.58 28.72 27.07 24.92



System 64® keys

→ The Group Key and the Reset Key program the tumbler arrangements to provide 64 combination activated by matching grey Operating Keys.

R3416540210000P
red Group Key

R3416540510000P
black Reset Key

R3416541210000P
grey Operating Key

16.54

16.54

9.60

Description : TuBAR® High Security Locks

Part number

Suggested List Prices

All quantities

TuBAR® CA-12L – High Security Cam Type Lock

- ➔ Maximum protection against forced entry
- ➔ Registered key series for each customer
- ➔ Cam and keys sold separately



CA-12 Lock 5/8"

18.40



High Security CA Series Cam Type Lock

- ➔ Hardened steel rotating bezel
- ➔ Patented keyway for maximum key control
- ➔ Patented dual side bar mechanism

CA-12 Lock 15/16"
UL® Listed

18.40

TuBAR® IC-12L – High Security Inner Cylinder

- ➔ Hardened steel barrel and composite keyway
- ➔ Keys sold separately. Factory re-keyable
- ➔ Unique key with no key blanks available



IC-12LSB
Lock Steel Bolt

19.82

IC-12LDB
Lock Dead Bolt

Suggested List Prices

All quantities

Description : TuBAR® Keys

Part number



TuBAR® Operating Keys

- ➔ Available with key tag or code stamped on key

T0283
Key w/tag

3.78

T10373
Key w/code

3.99

Nickel Silver one piece key

- ➔ Offers greater durability
- ➔ 1/4" thick



T3600321250001J
1 key, 1 tag, 1 ring

6.25

T3600321050001J
2 keys, 1 tag, 1 ring

12.15

Description : Ace II® Change-matic®



Ace II® Change-matic®

- ➔ The Ace II® Change-matic® lock series allows flexibility of changing combinations of locks without removing or unlocking them. Thousands of different key combinations available.

Please call for pricing.

Ace II® Change-matic® Keys

- ➔ Combinations can be programmed to any of the eight positions – in any sequence selected. No outward indication as to which currently is the operative combination.



Please call for pricing.

Description : Gematic®



Gematic®

→ The Gematic® lock series allows flexibility of changing combinations of locks without removing or unlocking them. Thousands of different key combinations available.

Please call for pricing.

Gematic® Keys

→ Combinations can be programmed to any of the eight positions – in any sequence selected. No outward indication as to which currently is the operative combination.



Please call for pricing.

Prices effective February 6, 2006

7

Minimum order: \$100

Excluding keys and cams

Prices

FOB Mauldin, South Carolina

Terms

Net 30 days

Claims

Our products carry a one-year warranty covering defects in material and workmanship from date of shipment. Our liability on any claim, including those for defective material, is limited to refund, repair, replacement, or a combination of such actions as we elect. Acceptance, use, or further processing by you voids any claims by you as to materials so accepted, used or processed.

Requests for the return of CompX Security Products standard products must be submitted to a salesperson. Written authorization must then be obtained from CompX Security Products, PO Box 200, Mauldin, SC 29662.



864.297.6655

compX.com

PO Box 200
Mauldin, SC 29662

Copyright 2006
© CompX Security Products

Reorder #: F2644-011